



 Apeer

YOU'RE HOME NOW



Close the door and take the day
off your shoulders. Whatever life
throws at you, it's all fine.

YOU'RE
HOME NOW



Sleep soundly with our Secured by Design police approved cylinder



YOU'RE HOME NOW



Our police-approved, 'secured by design' anti-bump, anti-drill, anti-pick and anti-snap Kitemarked cylinder lock barrels are fitted as standard to every Apeer door. And if that isn't enough to put off even the most determined criminal, our triple glazed, anti-tamper glazing system will.

SECURED by design*



Locking System
Multi-point locking system is fitted as standard to reinforce the concept of safety in your home.



Steel Hinge Bolts
Steel hinge bolts secure the door to the frame on Apeer70 only, protecting against intruders.



Steel Hinge Bolts



Multi-point locking system




AV2 Lock



Coupling Bar
Sidelights are coupled with aluminium bar for greater security, rigidity and stability.



Glazing Units
Apeer70 doors have triple glazed units as standard.



Apeer Traditional Glazing System
Matching timber-effect raised mouldings fitted to the inside of the door and covers our reinforced, fully insulated toughened glazed units.



Yale Locking System
2 rollers, 3 hooks, 2 deadbolts and 1 latch, high security system protects your family from intruders.



Kitemark Cylinder
Anti-bump, anti-drill, anti-pick and anti-snap Kitemarked cylinder lock barrels are fitted as standard.



Hinges
Flag or butt hinges are fitted to Apeer70 doors to allow for adjustment.

* Secured by Design doors must be ordered with laminated glass.



Take it easy with our low maintenance colour match wood grain finish

Our low-maintenance, highly robust colour finish is designed to stay looking good year after year, both on the outside and on the inside. Choose the perfect colour for the exterior of your home and match it with the perfect colour for the inside. Plus, for absolute consistency even when the door is open, we carefully colour match every edge.

COLOUR by design

YOU'RE HOME NOW



Colour Matching

Our manufacturing process allows us the flexibility to colour match your complete door entrance system, inside and outside. Colour choices are not restricted to white frames, or to a white only finish on the inside. Choose your door colour, match the door frames, rebate, weather deflector and internal finish.



RAL

For a bespoke colour finish simply bring along a RAL or BS colour reference.

Standard Colour Range



Steel Blue
(Renolit 5150-05-167)



Dark Red
(Renolit 3081-05-167)



Rosewood
(Cova 49186-011 Piedmont A)



Oak
(Cova 49158-011)



White (Halo System 10 Rustique 2 Smooth Frame Finish)



Apeer Cream 2
(Renolit Exofol PX 46835-101100)



Burgundy
(Renolit 3005-05-167)



Chartwell Green
(Renolit 49246 - 101100)



Anthracite Grey
(Renolit 49122-011)



Halo Foiled White
(Halo System 10 Rustique 2 Renolit Exofol PX 02.20.91.000001-116801 Grained Frame Finish)



Dark Green
(Renolit 6125-05-167)



Apeer Black 2
(Renolit Exofol MX 49116-101100)

Premium Colour Range



Porcelain Blue
BS20C33



Light Grey
(RAL 7035)



Traffic Red
(RAL 3020)



Mandarin Orange
(BS06E51)



Green Mist
(BS12B17)



Pale Lime
(BS12E51)



Traffic Yellow
(RAL 1023)



Traffic Purple
(RAL 4006)



Light Blue
(RAL 5012)



Turquoise Blue
(RAL 6033)



Pale Lilac
(BS24C33)



Orchid Pink
(BS04C33)


* Metallic Colours are not available. There is an extra charge for Premium and RAL/BS colours.

Every effort has been made to reproduce the colour of our Apeer doors and the coloured film in the decorative glass designs. However, printing constraints will give rise to some colour deviation. Please note the grain on the GRP Apeer door does not replicate the grain on the frame as it is a PVC foil. The grain and colour on the Oak and Rosewood doors are not an exact match to the Oak and Rosewood PVC frames. Glass designs shown in sidelights may vary depending on sidelight width. Coloured film in glass designs is not an exact match to the door colour.

Stay snug with double protection from draughts with our double rebate



YOU'RE HOME NOW




Did you know that much like your washing machine or your fridge freezer, your front door can be energy rated too? So, when we created our flagship product the Apeer70, we used the very latest in design and materials to help keep the heat in and the cold out; creating one of the most energy efficient doors available.

A-RATED by design



Double Rebate
Apeer70's double rebate system adds additional draught protection by creating an internal secondary rebated seal.



Triple Glazed*
For better insulation every Apeer70 is equipped with toughened triple glazed units and Apeer44 with double glazed units. Glazed units are also available with Low E glass and can be gas filled to offer improved thermal performance.


*Low E glass is only available in clear.



Choose from either one of our two main formats - Apeer70 and Apeer 44*



YOU'RE HOME NOW



Apeer may come in two formats, but the principles behind each remain the same. Whether you choose the 70mm thick, double rebate Apeer70, or the ingenuity of the 44mm thick, single rebate Apeer44, both perform exceptionally well in terms of energy efficiency, security and appearance.

DIFFERENT by design


70mm 44mm

Apeer 70

70mm of high density polyurethane foam, extra insulating double rebate, GRP inner frame, handmade triple glazed decorative units, double steel hinge bolts Kitemark version available, lifelike grain.

Apeer 44

44mm of high density polyurethane foam, handmade double glazed Q Seal warm edge Super Spacer system, matched timber effect raised mouldings, flush fit, lifelike grain. (Apeer44 doors are not available in the contemporary style.)



*Cutout shows Apeer70 on left and Apeer44 on right. The door codes featured in the brochure refer to Apeer70. For Apeer44 single rebate door codes change the code prefix to MO instead of AP, eg APA1 becomes MOA1.



YOU'RE
HOME NOW

APEER 70
TRADITIONAL

Introducing our range of doors with
traditional features and glass elements



APA1 FT35
Minster backing glass. FT35 shown in sidelights and
toplight. Fused tile and sandblasted design. See
APA3 pic for glazed door option with FT35 design.

APA Apeer 70 Traditional



APA1 LO64



See p72 for fused tile colour options.

Every effort has been made to reproduce the colour of our Apeer doors and the coloured film in the decorative glass designs. However, printing constraints will give rise to some colour deviation. All Apeer70 doors are triple glazed as standard. All Apeer44 doors are double glazed as standard. Please note the grain on the GRP Apeer door does not replicate the grain on the frames as it is a PVC foil. Glass designs shown in sidelights may vary depending on sidelight width. Coloured film in glass designs is not an exact match to the door colour.





APA3 LF549



APA3 FT14

Fused tile and sandblasted design. See p72 for fused tile colour options.



APA2 B0510



APA2 B0500



APA2 LO21

Every effort has been made to reproduce the colour of our Apeer doors and the coloured film in the decorative glass designs. However, printing constraints will give rise to some colour deviation. All Apeer70 doors are triple glazed as standard. All Apeer44 doors are double glazed as standard. Please note the grain on the GRP Apeer door does not replicate the grain on the frames as it is a PVC foil. Glass designs shown in sidelights may vary depending on sidelight width. Coloured film in glass designs is not an exact match to the door colour.





APC3 FT32
Minster backing glass.
Fused tile and sandblasted design.
See p72 for fused tile colour options.

APC Apeer 70 Traditional



APC2 B0508



APC2 GB
Internal Georgian Bar.



APC3 B0501





APG3 FT48
 Minster backing glass.
 Fused tile and sandblasted design.
 See p72 for fused tile colour options.

APG Apeer 70 Traditional



APG3 BO506

Please note the minimum sidelight width required for this bevel design to fit is 270mm



APG3 FT31

Fused tile and sandblasted design.
 See p72 for fused tile colour options.

Every effort has been made to reproduce the colour of our Apeer doors and the coloured film in the decorative glass designs. However, printing constraints will give rise to some colour deviation. All Apeer70 doors are triple glazed as standard. All Apeer44 doors are double glazed as standard. Please note the grain on the GRP Apeer door does not replicate the grain on the frames as it is a PVC foil. Glass designs shown in sidelights may vary depending on sidelight width. Coloured film in glass designs is not an exact match to the door colour.





APG Apeer 70 Traditional



APG3 BF502



APG3 FT25

Clear glass in sidelights and toplight. All sidelights are available with a decorative design to match the door glass or with clear/clear or clear/obscure glass. Sidelight design to match FT25 will depend on the sidelight width.

Every effort has been made to reproduce the colour of our Apeer doors and the coloured film in the decorative glass designs. However, printing constraints will give rise to some colour deviation. All Apeer70 doors are triple glazed as standard. All Apeer44 doors are double glazed as standard. Please note the grain on the GRP Apeer door does not replicate the grain on the frames as it is a PVC foil. Glass designs shown in sidelights may vary depending on sidelight width. Coloured film in glass designs is not an exact match to the door colour.





APL2 LF515
 Minster backing glass. Sidelight and toplight designs will depend on sidelight + toplight width and may vary from design shown.

APL Apeer 70 Traditional



APL2 LF517



APL2 BO510
 Door shown in Porcelain Blue.

Every effort has been made to reproduce the colour of our Apeer doors and the coloured film in the decorative glass designs. However, printing constraints will give rise to some colour deviation. All Apeer70 doors are triple glazed as standard. All Apeer44 doors are double glazed as standard. Please note the grain on the GRP Apeer door does not replicate the grain on the frames as it is a PVC foil. Glass designs shown in sidelights may vary depending on sidelight width. Coloured film in glass designs is not an exact match to the door colour.





APL Apeer 70 Traditional



APL2 BO500



APL2 BO508




APL2 BF503



APL2 LO64

Every effort has been made to reproduce the colour of our Apeer doors and the coloured film in the decorative glass designs. However, printing constraints will give rise to some colour deviation. All Apeer70 doors are triple glazed as standard. All Apeer44 doors are double glazed as standard. Please note the grain on the GRP Apeer door does not replicate the grain on the frames as it is a PVC foil. Glass designs shown in sidelights may vary depending on sidelight width. Coloured film in glass designs is not an exact match to the door colour.



APM2 BO508
 Minster backing glass. Sidelight and toplight designs will depend on sidelight + toplight width and may vary from design shown. Door shown in Chartwell Green.

APM Apeer 70 Traditional



APM2 BO500



APM2 LF515

Every effort has been made to reproduce the colour of our Apeer doors and the coloured film in the decorative glass designs. However, printing constraints will give rise to some colour deviation. All Apeer70 doors are triple glazed as standard. All Apeer44 doors are double glazed as standard. Please note the grain on the GRP Apeer door does not replicate the grain on the frames as it is a PVC foil. Glass designs shown in sidelights may vary depending on sidelight width. Coloured film in glass designs is not an exact match to the door colour.





APM2 BO508
Shown with AV2 Heritage lock,
escutcheon plate and finger pull.

APM Apeer 70 Traditional



APM2 FT14
Fused tile and sandblasted design
See p72 for fused tile colour options.



APM2 LF549



APM2 FT27
See p72 for fused tile colour options.



APM2 BO510

Every effort has been made to reproduce the colour of our Apeer doors and the coloured film in the decorative glass designs. However, printing constraints will give rise to some colour deviation. All Apeer70 doors are triple glazed as standard. All Apeer44 doors are double glazed as standard. Please note the grain on the GRP Apeer door does not replicate the grain on the frames as it is a PVC foil. Glass designs shown in sidelights may vary depending on sidelight width. Coloured film in glass designs is not an exact match to the door colour.





APS2 B07
Minster backing glass. Please note: the grain on the GRP Rosewood door is not an exact match to the grain on the Rosewood uPVC frame as they are two different materials.

APS Apeer 70 Traditional




APS2 BF505



APS2 BF504

Every effort has been made to reproduce the colour of our Apeer doors and the coloured film in the decorative glass designs. However, printing constraints will give rise to some colour deviation. All Apeer70 doors are triple glazed as standard. All Apeer44 doors are double glazed as standard. Please note the grain on the GRP Apeer door does not replicate the grain on the frames as it is a PVC foil. Glass designs shown in sidelights may vary depending on sidelight width. Coloured film in glass designs is not an exact match to the door colour.





APT2 LF545
 Minster backing glass.
 Please note: the grain on the GRP Oak door is not an exact match to the grain on the Oak uPVC frame as they are two different materials.

APT Apeer 70 Traditional



APT2 B0506*

* Sidelight design to match B0506 will depend on the sidelight width.



APT2 BF502

Every effort has been made to reproduce the colour of our Apeer doors and the coloured film in the decorative glass designs. However, printing constraints will give rise to some colour deviation. All Apeer70 doors are triple glazed as standard. All Apeer44 doors are double glazed as standard. Please note the grain on the GRP Apeer door does not replicate the grain on the frames as it is a PVC foil. Glass designs shown in sidelights may vary depending on sidelight width. Coloured film in glass designs is not an exact match to the door colour.





APT2 LF547



APT2 FT21



APT2 B07*

Pic shows clear glass in sidelight. All sidelights are available with a decorative design to match the door glass or with clear/clear or clear/obscure glass.

* Sidelight design to match B07 will depend on the sidelight width.



APT2 FT27

Fused tile and sandblasted design
See p72 for fused tile colour options.

Every effort has been made to reproduce the colour of our Apeer doors and the coloured film in the decorative glass designs. However, printing constraints will give rise to some colour deviation. All Apeer70 doors are triple glazed as standard. All Apeer44 doors are double glazed as standard. Please note the grain on the GRP Apeer door does not replicate the grain on the frames as it is a PVC foil.





APY2 FT14
 Minster backing glass. Fused tile and sandblasted design.
 See p72 for fused tile colour options. Sidelight and toplight designs
 will depend on sidelight + toplight width and may vary from design
 shown. Alternative design available for a narrow sidelight.

APY Apeer 70 Traditional




APY2 B07*



APY2 LF35*

*Sidelight and toplight designs will depend on sidelight + toplight width
 and may vary from design shown

Every effort has been made to reproduce the colour of our Apeer doors and the coloured
 film in the decorative glass designs. However, printing constraints will give rise to some colour
 deviation. All Apeer70 doors are triple glazed as standard. All Apeer44 doors are double glazed
 as standard. Please note the grain on the GRP Apeer door does not replicate the grain on the
 frames as it is a PVC foil. Glass designs shown in sidelights may vary depending on sidelight width.
 Coloured film in glass designs is not an exact match to the door colour.





APP4
Door Glass: fully sandblasted (SB26).
Sidelight glass: Sandblasted with
clear border (SB27).

APP4 Apeer 70 Traditional



BF571
 Glue chip
 film design

Lever Handles
(Door only inc. frame)

Width
 720mm - 1088mm

Height
 Stepped Threshold: 2007 - 2247mm
 MDS25/80 Threshold: 2008 - 2248mm
 Low PVC Threshold: 2019 - 2259mm
 Full PVC Threshold: 2035 - 2275mm

AV2 Lock
(Door only inc. frame)

Width
 722mm - 1088mm

Height
 Stepped Threshold: 2017 - 2247mm
 MDS25/80 Threshold: 2018 - 2248mm
 Low PVC Threshold: 2029 - 2259mm
 Full PVC Threshold: 2045 - 2275mm

Check Doorbuilder technical manual
or website for full size details.



Winkhaus Locking System
(AV2 Heritage)

Contemporary pull handles and
 escutcheon plate are fitted with
 the Winkhaus AV2 Heritage
 locking system. APP4 doors can
 also be fitted with traditional
 lever lever handles and locking
 system.

AV2 Heritage lock is not
 available with split spindle.

Letterboxes can be fitted
 to APP4 doors to the lower
 section of the door as standard.



APP4 SB15
 Sandblasted design with
 clear circles.



APP4
 House number sandblasted
 in top pane only.



APP4 FT50
 Fused tile only design.



APP4 BF571
 Glue chip film design;
 see pic.

Every effort has been made to reproduce the colour of our Apeer doors and the coloured film in the decorative glass designs. However, printing constraints will give rise to some colour deviation. All Apeer70 doors are triple glazed as standard. All Apeer44 doors are double glazed as standard. Please note the grain on the GRP Apeer door does not replicate the grain on the frames as it is a PVC foil. Please refer to our Doorbuilder technical manual or website for full sizing details. There are restrictions on door style, lock and handle. Door sizes also depend on sidelight and toplight combinations. Glass designs shown in sidelights may vary depending on sidelight width. Coloured film in glass designs is not an exact match to the door colour.



APY4 B0500
Shown in cream colour.
Minster backing glass.

Stable Doors

The Stable Door has all the security and style of a high quality double rebate Apeer70 door, but with a rustic look that's perfect for both contemporary and classic houses.



Fuhr Stable door lock
Deadbolts top and bottom
Weatherseal

APG4 FT48

Fused tile and sandblasted design.
See p72 for fused tile colour options.

* Hinge bolts are not available on stable doors.

Every effort has been made to reproduce the colour of our Apeer doors and the coloured film in the decorative glass designs. However, printing constraints will give rise to some colour deviation. All Apeer70 doors are triple glazed as standard. All Apeer44 doors are double glazed as standard. Please note the grain on the GRP Apeer door does not replicate the grain on the frames as it is a PVC foil. Glass designs shown in sidelights may vary depending on sidelight width. Coloured film in glass designs is not an exact match to the door colour.



Stable Doors

The Stable Door has all the security and style of a high quality double rebate Apeer70 door, but with a rustic look that's perfect for both contemporary and classic houses.



APY4 B0500
Detail of stable door



Stepped Threshold (25mm)
Max frame 986 x 2247
sash 900 x 2187
Min frame 806 x 2007
sash 720 x 1947

Mobility Threshold (15mm)
Max frame 986 x 2250
sash 900 x 2187
Min frame 806 x 2010
sash 720 x 1947

Full uPVC Frame Threshold
Max frame 986 x 2273
sash 900 x 2187
Min frame 806 x 2033
sash 720 x 1947

Low uPVC FrameThreshold
Max frame 986 x 2257
sash 900 x 2187
Min frame 806 x 2017
sash 720 x 1947

* Hinge bolts are not available on stable doors.

Every effort has been made to reproduce the colour of our Apeer doors and the coloured film in the decorative glass designs. However, printing constraints will give rise to some colour deviation. All Apeer70 doors are triple glazed as standard. All Apeer44 doors are double glazed as standard. Please note the grain on the GRP Apeer door does not replicate the grain on the frames as it is a PVC foil. Glass designs shown in sidelights may vary depending on sidelight width. Coloured film in glass designs is not an exact match to the door colour.



APY4 B0500
Shown in black.



APP4 with full sandblast glass (SB26). Please note: There are no steel hinge bolts on French Doors.

French-Style Double Doors

These striking French-Style Double Doors have all the security, energy efficiency and style of an Apeer70 door, only twice over. With a double rebate and the option of triple glazed units, you can create the perfect double doors for your home.



APA1



APY2 FT14



Stepped Threshold

Max frame 1892w x 2247h
sash 900 x 2187
Min frame 1532w x 2007h
sash 720 x 1947

Low uPVC Frame Threshold

Max frame 1892w x 2257h
sash 900 x 2187
Min frame 1532w x 2017h
sash 720 x 1947

Full uPVC Frame Threshold

Max frame 1892w x 2273h
sash 900 x 2187
Min frame 1532w x 2033h
sash 720 x 1947

Check manual for APP4 double door sizes.

Double doors are available with any Apeer70 door style.

Double doors open inward only.

Every effort has been made to reproduce the colour of our Apeer doors and the coloured film in the decorative glass designs. However, printing constraints will give rise to some colour deviation. All Apeer70 doors are triple glazed as standard. All Apeer44 doors are double glazed as standard. Please note the grain on the GRP Apeer door does not replicate the grain on the frames as it is a PVC foil. Glass designs shown in sidelights may vary depending on sidelight width. Coloured film in glass designs is not an exact match to the door colour.



YOU'RE
HOME NOW

APEER 70
CONTEMPORARY

Introducing our contemporary door
styles with a range of glass designs
and stainless steel furniture



Door: APTS2
Glass: RG45 Tahoe Blue



Door: APTS2
Glass: RG46 Elegance



Door: APTS2
Glass: RG47 Abstract



Door: APTS4
Glass: SB27



Door: APTS4
Glass: RG20 Tahoe Black

* Please note there are restrictions on the sidelight options available for RG glass, see page 73 for more details. All APTS doors available with contemporary handles or traditional lever handles.

Every effort has been made to reproduce the colour of our Apeer doors and the coloured film in the decorative glass designs. However, printing constraints will give rise to some colour deviation. All Apeer70 doors are triple glazed as standard. All Apeer44 doors are double glazed as standard. Please note the grain on the GRP Apeer door does not replicate the grain on the frames as it is a PVC foil. Glass designs shown in sidelights may vary depending on sidelight width. Coloured film in glass designs is not an exact match to the door colour.



Door: APTS33 Shown in light grey.
Glass: SB27 Letterbox not available on this door style.



Door: APTS10
Glass: SB16



Door: APTS26
Glass: RG53 Symphony
Letterbox not available on this style.



Door: APTS33
Glass: Satin
Letterbox not available on this style.



Door: APTS13
Glass: SB18



Door: APTS24
Glass: FT55



Door: APTS35
Glass: FT43



Door: APTS11
Glass: SB20



Apeer70 doors are triple glazed as standard and secured with a glazing trim cassette designed to complement our contemporary range of door styles.

* Please note there are restrictions on the sidelight options available for RG glass, see page 73 for more details. All APTS doors available with contemporary handles or traditional lever handles.

Every effort has been made to reproduce the colour of our Apeer doors and the coloured film in the decorative glass designs. However, printing constraints will give rise to some colour deviation. All Apeer70 doors are triple glazed as standard. All Apeer44 doors are double glazed as standard. Please note the grain on the GRP Apeer door does not replicate the grain on the frames as it is a PVC foil. Glass designs shown in sidelights may vary depending on sidelight width. Coloured film in glass designs is not an exact match to the door colour.



Door: APTS18
Glass: SB27



Door: APTS12
Glass: SB27



Door: APTS5
Glass: FT45



Door: APTS32
Glass: RG23 Murano Blue



Door: APTS19
Glass: RG17 Prairie



Door: APTS14
Glass: RG55 Matrix
Letterbox not available on this style.



Door: APTS33
Glass: SB27
Letterbox not available on this style.



Door: APTS17
Glass: Clear



Door: APTS16
Glass: RG21 Reflections

* Please note there are restrictions on the sidelight options available for RG glass, see page 73 for more details. All APTS doors available with contemporary handles or traditional lever handles.

Every effort has been made to reproduce the colour of our Apeer doors and the coloured film in the decorative glass designs. However, printing constraints will give rise to some colour deviation. All Apeer70 doors are triple glazed as standard. All Apeer44 doors are double glazed as standard. Please note the grain on the GRP Apeer door does not replicate the grain on the frames as it is a PVC foil. Glass designs shown in sidelights may vary depending on sidelight width. Coloured film in glass designs is not an exact match to the door colour.



Door: APTS33
Glass: RG20 Tahoe Black
 Letterbox not available
 on this style.

APTS Apeer 70 Contemporary



Door: APTS5
Glass: RG51 Bullseye



Door: APTS29
Glass: RG56 Tahoe Blue
 Letterbox not available
 on this style.



Door: APTS6
Glass: FT50
 No sandblast.



Door: APTS6
Glass: RG18 Prairie



Door: APTS6
Glass: RG35 Reflections

* Please note there are restrictions on the sidelight options available for RG glass, see page 73 for more details. All APTS doors available with contemporary handles or traditional lever handles.

Every effort has been made to reproduce the colour of our Apeer doors and the coloured film in the decorative glass designs. However, printing constraints will give rise to some colour deviation. All Apeer70 doors are triple glazed as standard. All Apeer44 doors are double glazed as standard. Please note the grain on the GRP Apeer door does not replicate the grain on the frames as it is a PVC foil. Glass designs shown in sidelights may vary depending on sidelight width. Coloured film in glass designs is not an exact match to the door colour.



Door: APTS34
Glass: SB27



Door: APTS31
Glass: Satin



Door: APTS21
Glass: Diamond Lead
Letterbox not available
on this style. Size of diamond:
100 x 150mm.



Door: APTS20
Glass: RG1 Simplicity



Door: APTS19
Glass: RG34 Abstract



Door: APTS23
Glass: RG61 Abstract



Door: APTS22
Glass: RG62 Reflections

* Please note there are restrictions on the sidelight options available for RG glass, see page 73 for more details. All APTS doors available with contemporary handles or traditional lever handles.

Every effort has been made to reproduce the colour of our Apeer doors and the coloured film in the decorative glass designs. However, printing constraints will give rise to some colour deviation. All Apeer70 doors are triple glazed as standard. All Apeer44 doors are double glazed as standard. Please note the grain on the GRP Apeer door does not replicate the grain on the frames as it is a PVC foil. Glass designs shown in sidelights may vary depending on sidelight width. Coloured film in glass designs is not an exact match to the door colour.



*Letterbox not available on this style

Door: APTS14*
Glass: RG53 Symphony



Door: APTS25
Glass: RG23 Murano Black



*Letterbox not available on this style

Door: APTS33*
Glass: RG20 Tahoe Black



Tahoe Black
Tahoe glass fused tile with a stainless steel surround. See P72 for colour options.



*Letterbox not available on this style

Door: APTS26
Glass: RG54 Linear



Door: APTS30
Glass: RG34 Abstract



Door: APTS28
Glass: RG20 Tahoe Purple



Door: APTS0



Door: APTS34
Glass: RG45 Tahoe Green



* Please note there are restrictions on the sidelight options available for RG glass, see page 73 for more details. All APTS doors available with contemporary handles or traditional lever handles.

Every effort has been made to reproduce the colour of our Apeer doors and the coloured film in the decorative glass designs. However, printing constraints will give rise to some colour deviation. All Apeer70 doors are triple glazed as standard. All Apeer44 doors are double glazed as standard. Please note the grain on the GRP Apeer door does not replicate the grain on the frames as it is a PVC foil. Glass designs shown in sidelights may vary depending on sidelight width. Coloured film in glass designs is not an exact match to the door colour.



YOU'RE
HOME NOW

APEER 70
THE MODO
COLLECTION


Introducing our modern doors with stainless steel trims with a range of glass designs and stainless steel furniture

The Modo collection has all the security, durability and energy efficiency you've come to expect from an Apeer door.



Steel Glazing Trims

Not only do the steel glazing trims give a contemporary look on both sides of the door, they're also an added security feature.



AMD2 ST61 clear and sandblast design in door; SB27 sandblast with clear border in sidelights.



All Modo doors excluding Double doors are available with lever handles or contemporary handles (AV2 lock). Double doors are only available with lever handles.



AMD1 FT60 in door; SB27 sandblast with clear border in sidelight.



AMD9 ST61 in door; SB27 sandblast with clear border in sidelights and toplight.



AMD4 FT66



AMD5 SB32 in door; SB27 sandblast with clear border in sidelights and toplight. SB32 glass design - clear leaves on a sandblasted background.



AMD6 SB35 in door; SB26 full sandblast in sidelights. SB35 glass design - sandblast swirl on a clear background.



AMD5 SR30 in doors; SB26 full sandblast in sidelights. Double MODO doors are only available with standard lever handles.

The Modò Collection



AMD3 SB40 in door; SB26 full sandblast in sidelights. SB40 glass design - clear centre square with sandblast surround + clear outer border.



AMD8 FT72



AMD7 FT70



AMD10 FT66

Door Accessories

To complement our Apeer doors, we offer a range of high quality door furniture and door hardware. All door accessories are covered by a four-year surface finish guarantee.

Classic Lever Handles (also available with split handle)




Classic Lever Pad Handles (with split handle)




Contemporary Door Handles (only available in stainless steel)

Contemporary handles are fitted with Winkhaus AV2 lock. AV2 lock is not available with split spindle.



Escutcheon Plate



Also available in brass

Finger Pull



Also available in brass


Urn Knocker (Also available with spyhole)



Slimline Urn Knocker



Scroll Knocker



Contemporary Knocker



Lionshead



Numerals

Available in:
Antique Black
Black
Bronze
Chrome
Gold
Satin Silver
White




Letterbox



Security Chain



Spyhole



Apeer70 Flag Hinge

Apeer70 doors are fitted with flag hinges. Colour options available.

Butt hinges also available in gold, white and brown.



Apeer44 Butt Hinges

Apeer44 doors are fitted with butt hinges. Colour options available.




Glass Options

With our Murano and Tahoe (RG Codes) glass designs you can co-ordinate the colour of the decorative glass to complement your choice of door colour.




Backing Glass Options

All of the door designs (except RG glass codes) featured throughout the brochure can be backed with a range of obscure glass to suit all requirements for energy efficiency, safety and privacy. This is our standard range but we can offer more styles upon request. Please note there may be an additional charge for non standard obscure glass patterns. There is no choice of backing glass for any of the RG glass code designs shown.



Fused Tile (FT Codes) Colour Options

Please note colour changes must be specified on the order form.



* Please note: The fused tiles in Murano and Tahoe glass designs are not an exact match to the door colour.

Whilst care is taken to ensure that this brochure is as up-to-date and accurate as possible, no responsibility can be taken by New World for any errors or omissions contained herein. In order to meet customer demand New World reserves the right to change the supplier of patterned glass without prior notice.

Sidelights and Toplights

All decorative glass designs shown in doors with the RG code are available with a choice of sidelight and toplight options as shown. Due to the unique construction of the RG glass it is not possible to create matching sidelights or toplights. RG glass includes: Abstract, Bullseye, Classic, Clarity, Diamond Cut, Dorchester, Elegance, Linear, Matrix, Prairie, Reflections, Royale, Simplicity, Symphony and Tahoe.



Every effort has been made to reproduce the colour of our Apeer doors and the coloured film in the decorative glass designs. However, printing constraints will give rise to some colour deviation. All Apeer70 doors are triple glazed as standard. All Apeer44 doors are double glazed as standard. Please note the grain on the GRP Apeer door does not replicate the grain on the frames as it is a PVC foil. Glass designs shown in sidelights may vary depending on sidelight width. Coloured film in glass designs is not an exact match to the door colour.

Dimensions

Please refer to our Doorbuilder technical manual or website for full sizing details. There are restrictions depending on door style, lock and handle. Door sizes also depend on sidelight and toplight combinations.

Apeer70 Traditional



**Lever Handles
(Door only inc. frame)**

Width

808mm - 988mm

Height

Stepped Threshold:
2007mm - 2247mm
MDS25/80 Threshold:
2008mm - 2248mm
Low PVC Threshold:
2019mm - 2259mm
Full PVC Threshold:
2035mm - 2275mm



**AV2 Lock
(Door only inc. frame)**

Escutcheon plate only.
Bar handles only available
on APP1, APP2, APY1
+ APY2.

Width

812mm - 988mm

Height

Stepped Threshold:
2017mm - 2247mm
MDS25/80 Threshold:
2018mm - 2248mm
Low PVC Threshold:
2029mm - 2259mm
Full PVC Threshold:
2045mm - 2275mm

**Check Doorbuilder
technical manual or
website for full size
details.**

Apeer70 Contemporary



**Lever Handles
(Door only inc. frame)**

Width

*702mm - *1088mm

*Minimum and maximum width
only available on certain styles

Height

Stepped Threshold:
**1775mm - 2247mm
MDS25/80 Threshold:
**1776mm - 2248mm
Low PVC Threshold:
**1787mm - 2259mm
Full PVC Threshold:
**1803mm - 2275mm

**Minimum height only available
on certain styles



**AV2 Lock
(Door only inc. frame)**

Width

*706mm - *1088mm

*Minimum and maximum width
only available on certain styles
and is restricted by type of
contemporary handle

Height

Stepped Threshold:
2017mm - 2247mm
MDS25/80 Threshold:
2018mm - 2248mm
Low PVC Threshold:
2029mm - 2259mm
Full PVC Threshold:
2045mm - 2275mm

Please note letterboxes are
restricted on certain heights on
Apeer70 Contemporary styles

**Check Doorbuilder
technical manual or website
for full size details.**

Apeer70 The Modo Collection



**Lever Handles
(Door only inc. frame)**

Width

*722mm - 1088mm

*Minimum and maximum width
only available on certain styles

Height

Stepped Threshold:
**1929mm - 2247mm
MDS25/80 Threshold:
**1930mm - 2248mm
Low PVC Threshold:
**1941mm - 2259mm
Full PVC Threshold:
**1957mm - 2275mm

**Minimum height only
available on certain styles



**AV2 Lock
(Door only inc. frame)**

Width

*778mm - 1088mm

*Minimum width only available on
certain styles and is restricted by
type of contemporary handle

Height

Stepped Threshold:
2017mm - 2247mm
MDS25/80 Threshold:
2018mm - 2248mm
Low PVC Threshold:
2029mm - 2259mm
Full PVC Threshold:
2045mm - 2275mm

**Check Doorbuilder
technical manual or website
for full size details.**

Apeer44 Traditional



**Lever Handles
(Door only inc. frame)**

Width

793mm - 1013mm

Height

MDS25/80 Threshold:
2006mm - 2263mm
Low PVC Threshold:
2027mm - 2284mm
Full PVC Threshold:
2043mm - 2300mm



**AV2 Lock
(Door only inc. frame)**

Escutcheon plate only.
Bar handles only available
on MOP1, MOP2, MOY1
+ MOY2.

Width

797mm - 1013mm

Height

MDS25/80 Threshold:
2006mm - 2263mm
Low PVC Threshold:
2027mm - 2284mm
Full PVC Threshold:
2043mm - 2300mm

**Contemporary styles
are not available in
Apeer44 single rebate**

Threshold Options

Apeer 70



Stepped Aluminium Threshold (25mm)

Distance from bottom of door leaf to bottom of threshold 18mm

Mobility Access Threshold MDS80/2 (15mm)

Distance from bottom of door leaf to bottom of threshold 18mm

Wheelchair Access Threshold MDS25/5/2 (15mm)

Distance from bottom of door leaf to bottom of threshold 18mm

uPVC Full Frame Threshold

Distance from bottom of door leaf to bottom of threshold 43mm

uPVC Low Frame Threshold

Distance from bottom of door leaf to bottom of threshold 27mm

Apeer44



Mobility Access Threshold MDS80/2 (15mm)

Distance from bottom of door leaf to bottom of threshold 18mm

Wheelchair Access Threshold MDS25/5/2 (15mm)

Distance from bottom of door leaf to bottom of threshold 18mm

uPVC Full Frame Threshold

Distance from bottom of door leaf to bottom of threshold 56mm

uPVC Low Frame Threshold

Distance from bottom of door leaf to bottom of threshold 42mm

Panel Sizes

Half Panel Sizing

Apeer70 - APHP1
Apeer44 - MOHP1



Min width - 593mm
Min height - 702mm
Max width - 900mm
Max height - 1000mm

Quarter Panel Sizing


Apeer70 - APQP1
Apeer44 - MOQP1



Min width - 275mm
Min height - 702mm
Max width - 550mm
Max height - 915mm

Flat Panel Sizing

Apeer70 - APFE
Apeer44 - MOFE



Max width - 450mm
Max height - 900mm

Coupling Bar

All Apeer door and sidelight photos in this brochure are shown with coupling bar.

They are also available as a fully welded option. Carriage surcharge may be applicable.

Please note all doorsets over 1500mm must be coupled for greater rigidity, stability and durability.



Installation

Apeer doors should only be fitted by approved installers. To find your nearest installer please email your enquiry through our website with your address. www.nwd.uk.com

Further Technical Information

For more details on sizes please download the technical manual on our website or on our Door Builder software.

Traditional Door Styles

Available in Apeer70 double rebate (AP) and Apeer44 single rebate (MO).



APA / MOA APC / MOC APG / MOG



APL / MOL APM / MOM APS / MOS



APT / MOT APY / MOY APP4 / MOP4

Contemporary Door Styles

Only available as Apeer70 double rebate.



APTS2 APTS4 APTS5



APTS17 APTS18 APTS19



APTS28 APTS29 APTS30



APTS6 APTS10 APTS11 APTS12 APTS13 APTS14 APTS16



APTS20 APTS21 APTS22 APTS23 APTS24 APTS25 APTS26



APTS31 APTS32 APTS33 APTS34 APTS35 APTS0

All traditional styles are available as solid doors with no glass.

Whilst care is taken to ensure that this brochure is as up-to-date and accurate as possible, no responsibility can be taken by New World for any errors or omissions contained herein. All measurements must be verified by surveyor on site.

Whilst care is taken to ensure that this brochure is as up-to-date and accurate as possible, no responsibility can be taken by New World for any errors or omissions contained herein. All measurements must be verified by surveyor on site.